

# **SM-120LL**

Scale Printer

## A New Vision of Scale Printer

Cloud services provided Linerless auto-cutter equipped New mechanical structure for easy maintenance





Searching for a New Balance

### To create a new business model by an embedded scale

#### LL cutter

Flexible length of label Average label saving is 21 to 26% comparing liner label Label becomes waterproof Life span of thermal head improved Real label and receipt scale in one with one printer

#### Others

General functions of other DIGI scales SD card slot for large data storage Auto update transaction data to the designated ftp server DNS protocol Support PDF417, GS1 QR, DataMatrix, Gs1 Databar

#### Cloud service

Remote installation service Remote diagnostic/software upgrade Remote application service

### **Basic Specifications**

Model	SM-120B	SM-120P	SM-120EV	SM-120BS	
Capacity	3kg,6kg/6lb,12kg/12lb,15kg/15lb,30kg/30lb				
Display	202 x 32 pixels FSTN type LCD with back-light Tare Weight: 4 digits. Weight: 5 digits. Unit Price: 6 digits. Total Price: 7 digits. Second Line display: 25 characters.				
Memory	2MB(Standard) 32GB(Max)				
Power Source	AC 176V ~ 264V, 47~63Hz.				
Operating Temperature	-10°C ~ +40 °C				
Operating Humidity	15% ~ 85% RH.				
Power Consumption	0.15A.				
Number of Preset Keys	32	56	56	72	120
Printer	Thermal printer with auto cutter Max. Printing Width: 60mm. Paper Width: 62mm (receipt) / 60mm (label). Printing speed: Maximum 110 mm / sec. Life span: 100 million pulses, 100km or more.				
Interface	AC receptacle. Cash drawer control port (drive voltage is 24V). 1 x RS-232C interface. Ethernet.				

\*Specifications are subject to change without prior notice.

#### SHANGHAI TERAOKA ELECTRONIC CO., LTD.

Tinglin Industry Developmental Zone, Jinshan District, Shanghai 201505 TEL: +86-21-57234888

FAX: +86-21-57233049 http://www.diaisystem.com

